

Secretary legisland by the control of the control o

OFFICE OF NAVAL RESEARCH

Contract N00014-86-K-0043

TECHNICAL REPORT No. 60

Theory of the Tetragonal-to-Orthorhombic Structural Phase Transition in  $\rm La_2CuO_4$ 

bу

D. Sahu and Thomas F. George

Prepared for Publication

in

Solid State Communications

Departments of Chemistry and Physics State University of New York at Buffalo Buffalo, New York 14260

November 1987

Reproduction in whole or in part is permitted for any purpose of the United States Government.

This document has been approved for public release and sale; its distribution is unlimited.



| REPORT DOCUMENTATION PAGE  |   |  |                   |                 |                  |  |  |  |
|--|---|--|-------------------|-----------------|------------------|--|--|--|
| 1. REPORT SECURITY CLASSIFICATION Unclassified   |   | 16. RESTRICTIVE MARKINGS   |                   |                 |                  |  |  |  |
| 28 SECURITY CLASSIFICATION AUTHORITY   |   | 3. DISTRIBUTION/A  |                   |                 |                  |  |  |  |
| 26 DECLASSIFICATION/DOWNGRADING SCHED  | PULE  | Approved for public release; distribution unlimited  |                   |                 |                  |  |  |  |
| 4 PERFORMING ORGANIZATION REPORT NUM   | BER(S)  | 5. MONITORING OR   | GANIZATION RE     | EPORT NUMBER(S) |                  |  |  |  |
| UBUFFALO/DC/87/TR-60   |   |  |                   |                 | _                |  |  |  |
| 6. NAME OF PERFORMING ORGANIZATION Depts. Chemistry & Physics State University of New York   | 6b. OFFICE SYMBOL (If applicable)                                   | 74. NAME OF MON!   | TORING ORGAN      | IZATION         |                  |  |  |  |
| 6c. ADORESS <i>icity, State and ZIP Code)</i> Fronczak Hall, Amherst Campus Buffalo, New York 14260  |   | 7b. ADDRESS (City. State and ZIP Code)<br>Chemistry Program<br>800 N. Quincy Street<br>Arlington, Virginia 22217 |                   |                 |                  |  |  |  |
| 8. NAME OF FUNDING/SPONSORING ORGANIZATION   | 8b. OFFICE SYMBOL (If applicable)                                   | 9. PROCUREMENT   | NSTRUMENT ID      | ENTIFICATION NU | MBER             |  |  |  |
| Office of Naval Research   |   | Contract N00014-86-K-0043  |                   |                 |                  |  |  |  |
| Chemistry Program 800 N. Quincy Street Arlington, Virginia 22217   |   | PROGRAM<br>ELEMENT NO.   | PROJECT           | TASK<br>NO.     | WORK UNIT<br>NO. |  |  |  |
| Theory of the Tetragonal-to-Orthorhombic Structural Phase Transition in La <sub>2</sub> CuO <sub>4</sub>   |   |  |                   |                 |                  |  |  |  |
| 12 RESCONAL AUTHORIES  | nd Thomas F. Geo  |  |                   |                 |                  |  |  |  |
| 13a TYPE OF REPORT 13b. TIME C   | OVERED  | 14 DATE OF REPO  |                   | 1 .             | TUNT             |  |  |  |
| 16. SUPPLEMENTARY NOTATION   | то  | Novellip   | er 1987           | 9               | <del></del>      |  |  |  |
| Prepared for Public  | Prepared for Publication in Solid State Communications (            |  |                   |                 |                  |  |  |  |
| 17 COSATI CODES FIELD GROUP SUB GR   | 18 SUBJECT PERMS (C<br>La CuO4<br>HIGH-I SUPERCO<br>PHASE TRANSITIO | INDUCTOR ,   | TETRAGO<br>THEORY | ONAL>TOFORTH(   | ORHOMBIC         |  |  |  |
| 19. ABSTRACT/(Continue on reverse if necessary and identity by block number)  A phenomenological free energy for the tetragonal-to-orthorhombic structural |   |  |                   |                 |                  |  |  |  |
| phase transition in La <sub>2</sub> CuO <sub>4</sub> is  | s derived from s  | ymmetry princ  | iples. The        | e critical      | ,                |  |  |  |
| properties of the model free energy are studied by renormalization group methods   |   |  |                   |                 |                  |  |  |  |
| and compared with experiment.  |   |  |                   |                 |                  |  |  |  |
|  |   |  |                   |                 |                  |  |  |  |
|  |   |  |                   |                 |                  |  |  |  |
|  |   |  |                   |                 |                  |  |  |  |
| 20. DISTRIBUTION/AVAILABILITY OF ABSTRACT  |   | 21. ABSTRACT SECURITY CLASSIFICATION   |                   |                 |                  |  |  |  |
| UNCLASSIFIED/UNLIMITED 🎖 SAME AS RPT 🕏 DTIC USERS 🗆  |   | Unclassifi   | ed                |                 |                  |  |  |  |
| 22. NAME OF RESPONSIBLE INCIVIOUAL Dr. David L. Nelson   |   | cinclude Area Co   | ode)              | 22c OFFICE SYME | JOL .            |  |  |  |
| DD FORM 1473 83 APR  | EDITION OF 1 IAN 73   |  |                   | ACCIEIED        |                  |  |  |  |

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE

# THEORY OF THE TETRAGONAL-TO-ORTHORHOMBIC STRUCTURAL PHASE TRANSITION IN La 2 CuO L

D. Sahu and Thomas F. George
Departments of Physics and Chemsitry
State University of New York at Buffalo
Buffalo, New York 14260 USA

#### Abstract

A phenomenological free energy for the tetragonal-to-orthorhombic structural phase transition in  ${\rm La_2CuO_4}$  is derived from symmetry principles. The critical properties of the model free energy are studied by renormalization group methods and compared with experiment.



| Accesion I                                       | or                |               |  |
|--|-------------------|---------------|--|
| NTIS CR<br>DTIC TAI<br>Unan roun<br>Justificatio | B<br>ocd          | ב<br>כו<br>נו |  |
| By<br>Drotubulio                                 |                   |               |  |
| A /4;  | 3 75 Y            | `(a,+\\$<br>  |  |
| Er: A  | 72% d 4<br>24 20% |               |  |
| <b>1 1</b>                                       |                   |               |  |

## 1. INTRODUCTION

The discovery of high-T<sub>c</sub> superconductivity in doped La<sub>2</sub>CuO<sub>4</sub><sup>1</sup> and related compounds<sup>2</sup> has raised the question as to which phonons are important in stabilizing or producing the superconducting state. It has been speculated<sup>3,4</sup> that the phonons associated with the breathing motion of the distorted oxygen octahedra in these compounds might be of interest in understanding the mechanism of superconductivity. However, a recent X-ray and neutron scattering experiment<sup>5</sup> on undoped and doped La<sub>2</sub>CuO<sub>4</sub> single crystals has found no evidence for the breathing motion; instead, it is the optical phonon associated with rotation of the oxygen octahedra which goes soft at the tetragonal-to-orthorhombic transition. Since this structural transition involving rotation of oxygen octahedra is itself of interest, as in the case of the ideal perovskite SrTiO<sub>3</sub>,<sup>6,7</sup> we have undertaken a theoretical study of the above transition. Our motivation in undertaking such a study is that the critical properties of the structural transition in La<sub>2</sub>CuO<sub>4</sub> are expected to be different from that of SrTiO<sub>3</sub> because of symmetry considerations.

The high-temperature structure of  ${\rm La_2CuO_4}$  is body-centered tetragonal with space group I4/mmm. Each Cu atom sits at a site of 4/mmm symmetry and is surrounded by six 0 atoms in a distorted octahedral arrangement. The positions of the atoms in the unit cell is schematically given in Fig. 1 of Ref. 8. Upon a second-order phase transition to an orthorhombic structure with space group Cmca, the Cu-atom site symmetry is lowered to 2/m. The transition temperature in recent experiments was found to be  $T_c = 423$  K, although in an earlier experiment  $^9$   $T_c$  was as high as 533 K. The soft phonon responsible for the structural transition is an optic mode (called the  $\Sigma_4$  mode in Ref. 5), which corresponds to local rotation of oxygen octahedra with Cu-atoms as centers. Since an oxygen atom in a plane normal to the tetragonal axis is shared by two

neighboring Cu atoms, the sense of rotations of the octahedra in two adjacent cells are opposite to each other; the basal plane unit cell of the ordered structure thus corresponds to an enlarged  $\sqrt{2} \times \sqrt{2}$  structure associated with the high-temperature phase. The soft-phonon wave vector  $\vec{q} = (4,4,0)$  corresponds to the X-point of the Brillouin zone (see Fig. 3 of Ref. 8). The orthorhombic strain  $e_{xy}$  and the integrated X-ray intensity of the superlattice spots have been found experimentally to grow in the ordered phase with the same exponent, namely,  $2\beta_{exp} = 0.550$ .

#### 2. LANDAU THEORY AND COUPLING TO STRAINS

In order to construct a phenomenological theory for the structural transition, we concentrate on the particular normal modes associated with the rotation of the oxygen octahedra. These modes belong to the two-dimensional irreducible representation E of the little group of the wave vector whose point group symmetry is  $C_{4v}$ . Since the wave vectors  $\vec{q} = (4,4,0)$  and  $\vec{q}' = (4,-4,0)$  are equivalent to each other, the star of  $\vec{q}$  has only a single arm. Since the normal modes for rotation of an oxygen octahedron are two-dimensional, there are two equivalent axes, namely  $\vec{\xi} = [110]$  and  $\vec{\eta} = [\bar{1}10]$  (the former being defined as the direction making an angle of  $\pi/4$  to a nearest-neighbor Cu-O bond), of local rotation with the Cu atoms as centers. All the normal modes of vibration of the solid can be found using standard group theoretic techniques. The displacements of all the octahedra for the two equivalent rotations above can be written as

$$\vec{u}_{\ell\xi} = \psi_{\xi} p[a(\hat{e}_{1x}, -\hat{e}_{1y}, -\hat{e}_{2x}, \hat{e}_{2y}) + b(-\hat{e}_{3z}, \hat{e}_{4z}, \hat{e}_{5z}, -\hat{e}_{6z})] exp(i\vec{q} \cdot \vec{l}) , \qquad (1)$$

$$\vec{u}_{l\eta} = \psi_{\eta} p[a(\hat{e}_{1x}, \hat{e}_{1y}, -\hat{e}_{2x}, -\hat{e}_{2y}) + b(-\hat{e}_{3z}, -\hat{e}_{4z}, \hat{e}_{5z}, \hat{e}_{6z})] exp(i\vec{q} \cdot \vec{l})$$
, (2)

where  $\ell$  labels the unit cell, a and b are fixed constants, p is proportional to the rotation angle,  $\hat{\mathcal{H}}_{i\alpha}$  (i = 1,...,6 and  $\alpha$  = x,y,z) label the Cartesian components  $\alpha$  of the unit vectors associated with the i-th O atom of the octahedron (i = 1,2 refer to the O atoms along the tetragonal z-axis, and i = 3,4,5,6 to the basal plane O atoms labeled in a counterclockwise sense), and  $\psi_{\xi}$ ,  $\psi_{\alpha}$  are the order parameters.

The transformation properties of the order parameters under generators of the high-temperature space group I4/mmm allow us to construct an invariant-free energy associated with the interactions among the octahedra. These transformation properties are,

$$\Psi \rightarrow r\Psi \text{ under } \{C_4 \mid 000\}$$
 (3)

$$\Psi \rightarrow -\Psi \text{ under } \{c_{2x} \mid 000\} \text{ and } \{I \mid 000\}$$
, (4)

where  $\Psi \equiv \begin{pmatrix} \psi_{\xi} \\ \psi_{\eta} \end{pmatrix}$  is a 2-component column vector,  $r = \begin{pmatrix} 0 & 1 \\ -1 & 0 \end{pmatrix}$ ,  $(C_4 \mid 000)$  represents a 4-fold rotation about the z-axis,  $(C_{2x} \mid 000)$  is a 2-fold rotation about the x-axis, and  $(I \mid 000)$  is an inversion through the origin. Since the phase factors  $\exp(i\vec{q}\cdot\vec{l})$  in Eqs. (1) and (2) are all real, the order parameters  $\psi_{\xi}$  and  $\psi_{\eta}$  are both real. The Landau free energy invariant under symmetry operation of the generators of the space group, to fourth order in the order parameters, is therefore

$$F - F_{N} = \frac{1}{2}r(\psi_{\xi}^{2} + \psi_{\eta}^{2}) + \frac{1}{2}g|\vec{\nabla}\psi|^{2} + u_{1}(\psi_{\xi}^{4} + \psi_{\eta}^{4}) + u_{3}\psi_{\xi}^{2}\psi_{\eta}^{2} , \qquad (5)$$

where r, g,  $u_1$  and  $u_3$  refer to the material parameters of the system, and  $F_N$  is the free energy of the disordered phase. Equation (5) is in the same universality class as the three-dimensional (d = 3) xy-model with a cubic anisotropic field.

Writing, as usual,  $r = \alpha(T - T_C)$ , where  $\alpha$  is a constant, we see that for  $T < T_C$ , the orthorhombic phase will be stable. The direction of the 2-fold rotation axis in the basal plane will depend on the relative values of the parameters  $u_1$  and  $u_3$ . For  $u_1 > 0$  and  $(2u_1 - u_3) < 0$ , the minimum energy states are either  $(\psi_\xi \neq 0, \psi_\eta = 0)$  or  $(\psi_\xi = 0, \psi_\eta \neq 0)$ , and the 2-fold rotation axes are along the  $\pm \xi$ - or  $\pm \hat{\eta}$ -directions. For  $u_1 > 0$  and  $(2u_1 \pm u_3) > 0$ , the states of minimum energy are  $\psi_\xi = \psi_\eta = \psi \neq 0$ , and the 2-fold axes are along  $\xi = \pm \hat{\eta}$ -directions. The space group symmetry of the ordered phase is found to be Cmca in agreement with experiment.

We now discuss the coupling of the order parameters to the orthorhombic strain  $e_6 = 2e_{xy} = \left[\frac{\partial u_x(r)}{\partial y} + \frac{\partial u_y(r)}{\partial r}\right]$ , where  $u_\alpha(r)$  ( $\alpha = x,y$ ) is the  $\alpha$ -component of the local displacement field of the center of mass. The transformation properties of the second rank tensor  $e_6$  are the same as that of the product  $\psi_\xi\psi_\eta$ . Thus the symmetry-restricted form of strain-order parameter coupling energy, to second order in  $e_6$ , is found to be  $F_c = ce_6\psi_\xi\psi_\eta + \frac{1}{2}C_{66}e_6^2$ , where c is a coupling constant and  $C_{66}$  is the usual elastic constant. Hence for a given order parameter  $\psi = \psi_\xi = \psi_\eta$  discussed above, the minimum value of strain is proportional to the square of the order parameter. This is precisely the experimental situation.

## 3. CRITICAL PROPERTIES


We have examined the critical properties of the model free energy, Eq. (5), by using renormalization group techniques following Refs. 11 and 12 to order  $\epsilon$  -

4 - d, where d is the spatial dimension. The flow properties of the free energy in the parameter space  $(u_3,u_1)$  on the critical surface are shown in Fig. 1. There are four fixed points of which H, the Heisenberg fixed point, is stable. Since the observed transition is second order, we conclude that the critical exponents of the structural transition in  $\text{La}_2\text{CuO}_4$  should be that of the three-dimensional Heisenberg model with a two-component order parameter. We find the standard critical exponents to be  $\eta=0$  and  $1/\nu=1.60$ , so that  $\beta=0.3125$ . The experimental value of  $\beta$  is  $\beta_{\text{exp}}=0.275$ . As pointed out by Birgeneau et al,  $\beta$  the experiments could not be performed very close to  $T_c$ , thus indicating that  $\beta_{\text{exp}}$  may not be very precise. Hence the agreement between the theoretical value of  $\beta$  above and the experimentally determined value seems reasonable.

In summary, using symmetry arguments we have developed a phonomenological free energy for the tetragonal-to-orthorhombic phase transition in  $\text{La}_2\text{CuO}_4$ . We have shown that the square of the order parameter and the orthorhombic strain scale with the same exponent  $2\beta$ .

#### **ACKNOWLEDGMENTS**

This research was supported by the Office of Naval Research and the Air Force Office of Scientific Research (AFSC), United States Air Force, under Contract F49620-86-C-0009. The United States Government is authorized to reproduce and distribute reprints for governmental purposes notwithstanding any copyright notation hereon.



MANAGEM AND SERVICE OF SERVICE AND ARREST

es exerces de l'exerces de l'ex

#### REFERENCES

- 1. J. G. Bednorz and K. A. Müller, Z. Phys. B 64, 189 (1986).
- 2. C. W. Chu, P. H. Hor, R. L. Meng, L. Gao, Z. J. Huang and Y. Q. Wang, Phys. Rev. Lett. <u>58</u>, 405 (1987).
- 3. C. L. Fu and A. J. Freeman, Phys. Rev. B 35, 8861 (1987).
- P. Prelovsek, T. M. Rice and F. C. Zhang, J. Phys. C <u>20</u>, L229 (1987).
- R. J. Birgeneau, C. Y. Chen, D. R. Gabbe, H. P. Jenssen, M. A. Kastner, C. J. Peters, P. J. Picone, T. Thio, T. R. Thurston, H. L. Tuller, J. D. Axe, P. Boni and G. Shirane, Phys. Rev. Lett. <u>59</u>, 1329 (1987).
- 6. H. Thomas and K. A. Müller, Phys. Rev. Lett. 21, 1256 (1968).
- 7. E. Pytte and J. Feder, Phys. Rev. B <u>187</u>, 1077 (1969).
- 8. J. Yu, A. J. Freeman and J.-H. Xu, Phys. Rev. Lett. <u>58</u>, 1035 (1987).
- 9. V. B. Grande, H. K. Müller-Buschbaum and M. Schweizer, Z. Anorg. Allg. Chem. 428, 120 (1977).
- 10. D. Sahu and M. B. Walker, Phys. Rev. B 32, 1643 (1985).
- 11. A. Aharony, Phys. Rev. B 8, 4270 (1973).
- 12. Z. Barak and M. B. Walker, J. Phys. F 12, 483 (1982).

#### FIGURE CAPTION

Fig. 1. Renormalization group flow diagram in the parameter space  $(x_3,x_1)$  of the model free energy, Eq. (5), where  $x_1 = u_1/(8\pi^2)$  (i = 1,3). The four fixed points are labeled as G, I, H and C, which stand for Gaussian, Ising, Heisenberg and cubic, respectively. The hatched region as well as the region with  $x_1 < 0$  are unstable regimes of the free energy.

# 01/1113/86/2

# TECHNICAL REPORT DISTRIBUTION LIST, GEN

|  | No.<br>Copies           |   | No.<br>Copies |
|--|-------------------------|---|---------------|
| Office of Naval Research<br>Attn: Code 1113<br>800 N. Quincy Street<br>Arlington, Virginia 22217-5000    | 2                       | Dr. David Young<br>Code 334<br>NORDA<br>NSTL, Mississippi 39529   | 1             |
| Dr. Bernard Douda<br>Naval Weapons Support Center<br>Code 50C<br>Crane, Indiana 47522-5050               | 1                       | Naval Weapons Center<br>Attn: Dr. Ron Atkins<br>Chemistry Division<br>China Lake, California 93555                            | 1             |
| Naval Civil Engineering Laboratory<br>Attn: Dr. R. W. Drisko, Code L52<br>Port Hueneme, California 93401 | 1                       | Scientific Advisor<br>Commandant of the Marine Corps<br>Code RD-1<br>Washington, D.C. 20380                                   | 1             |
| Defense Technical Information Center<br>Building 5, Cameron Station<br>Alexandria, Virginia 22314        | · 12<br>high<br>quality | U.S. Army Research Office<br>Attn: CRD-AA-IP<br>P.O. Box 12211<br>Research Triangle Park, NC 27709                            | 1             |
| DTNSRDC<br>Attn: Dr. H. Singerman<br>Applied Chemistry Division<br>Annapolis, Maryland 21401             | 1                       | Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112                                |               |
| Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory                | 1                       | Naval Ocean Systems Center<br>Attn: Dr. S. Yamamoto<br>Marine Sciences Division<br>San Diego, California 91232                | 1             |
| Washington, D.C. 20375-5000  | :                       | Dr. David L. Nelson<br>Chemistry Division<br>Office of Naval Research<br>800 North Quincy Street<br>Arlington, Virginia 22217 | 1             |

Dr. J. E. Jensen Hughes Research Laboratory 3011 Malibu Canyon Road Malibu, California 90265

Dr. J. H. Weaver
Department of Chemical Engineering
and Materials Science
University of Minnesota
Minneapolis, Minnesota 55455

Dr. A. Reisman Microelectronics Center of North Carolina Research Triangle Park, North Carolina 27709

Dr. M. Grunze Laboratory for Surface Science and Technology University of Maine Orono, Maine 04469

Dr. J. Butler Naval Research Laboratory Code 6115 Washington D.C. 20375-5000

Dr. L. Interante Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181

Dr. Irvin Heard Chemistry and Physics Department Lincoln University Lincoln University, Pennsylvania 19352

Dr. K.J. Klaubunde Department of Chemistry Kansas State University Manhattan, Kansas 66506 Dr. C. B. Harris
Department of Chemistry
University of California
Berkeley, California 94720

Dr. F. Kutzler
Department of Chemistry
Box 5055
Tennessee Technological University
Cookesville, Tennessee 38501

Dr. D. Dilella Chemistry Department George Washington University Washington D.C. 20052

Dr. R. Reeves Chemistry Department Renssaeler Polytechnic Institute Troy, New York 12181

Dr. Steven M. George Stanford University Department of Chemistry Stanford, CA 94305

Dr. Mark Johnson Yale University Department of Chemistry New Haven, CT 06511-8118

Dr. W. Knauer Hughes Research Laboratory 3011 Malibu Canyon Road Malibu, California 90265

Cr. G. A. Somorjai Department of Chemistry University of California Berkeley, California 94720

Dr. J. Murday Naval Research Laboratory Code 6170 Washington, D.C. 20375-5000

Dr. J. B. Hudson Materials Division Rensselaer Polytechnic Institute Troy, New York 12181

Dr. Theodore E. Madey Surface Chemistry Section Department of Commerce National Bureau of Standards Washington, D.C. 20234

Dr. J. E. Demuth
IBM Corporation
Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, New York 10598

Dr. M. G. Lagally
Department of Metallurgical
and Mining Engineering
University of Wisconsin
Madison, Wisconsin 53706

Dr. R. P. Van Duyne Chemistry Department Northwestern University Evanston, Illinois 60637

Dr. J. M. White Department of Chemistry University of Texas Austin, Texas 78712

Dr. D. E. Harrison Department of Physics Naval Postgraduate School Monterey, California 93940 Dr. R. L. Park
Director, Center of Materials
Research
University of Maryland
College Park, Maryland 20742

Dr. W. T. Peria Electrical Engineering Department University of Minnesota Minneapolis, Minnesota 55455

Dr. Keith H. Johnson
Department of Metallurgy and
Materials Science
Massachusetts Institute of Technology
Cambridge, Massachusetts 02139

Dr. S. Sibener
Department of Chemistry
James Franck Institute
5640 Ellis Avenue
Chicago, Illinois 60637

Dr. Arnold Green Quantum Surface Dynamics Branch Code 3817 Naval Weapons Center China Lake, California 93555

Dr. A. Wold Department of Chemistry Brown University Providence, Rhode Island 02912

Dr. S. L. Bernasek Department of Chemistry Princeton University Princeton, New Jersey 08544

Dr. W. Kohn
Department of Physics
University of California, San Diego
La Jolla, California 92037

Dr. F. Carter Code 6170 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. Richard Colton Code 6170 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. Dan Pierce National Bureau of Standards Optical Physics Division Washington, D.C. 20234

Dr. R. Stanley Williams Department of Chemistry University of California Los Angeles, California 90024

Dr. R. P. Messmer Materials Characterization Lab. General Electric Company Schenectady, New York 22217

Dr. Robert Gomer Department of Chemistry James Franck Institute 5640 Ellis Avenue Chicago, Illinois 60637

Dr. Ronald Lee R301 Naval Surface Weapons Center White Oak Silver Spring, Maryland 20910

Or. Paul Schoen Code 6190 Naval Research Laboratory Washington, D.C. 20375-5000 Dr. John T. Yates Department of Chemistry University of Pittsburgh Pittsburgh, Pennsylvania 15260

Or. Richard Greene Code 5230 Naval Research Laboratory Washington, D.C. 20375-5000

Dr. L. Kesmodel
Department of Physics
Indiana University
Bloomington, Indiana 47403

Dr. K. C. Janda University of Pittsburg Chemistry Building Pittsburg, PA 15260

Dr. E. A. Irene
Department of Chemistry
University of North Carolina
Chapel Hill, North Carolina 27514

Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974

Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton 509 5NH UNITED KINGDOM

Dr. H. Tachikawa Chemistry Department Jackson State University Jackson, Mississippi 39217

Dr. John W. Wilkins Cornell University Laboratory of Atomic and Solid State Physics Ithaca, New York 14853

Dr. R. G. Wallis Department of Physics University of California Irvine, California 92664

Dr. D. Ramaker Chemistry Department George Washington University Washington, D.C. 20052

Dr. J. C. Hemminger Chemistry Department University of California Irvine, California 92717

Dr. T. F. George Chemistry Department University of Rochester Rochester, New York 14627

Dr. G. Rubloff IBM Thomas J. Watson Research Center P.O. Box 218 Yorktown Heights, New York 10598

Or. Horia Metiu Chemistry Department University of California Santa Barbara, California 93106

Dr. W. Goddard
Department of Chemistry and Chemical
Engineering
California Institute of Technology
Pasadena, California 91125

Dr. P. Hansma Department of Physics University of California Santa Barbara, California 93106

Dr. J. Baldeschwieler
Department of Chemistry and
Chemical Engineering
California Institute of Technology
Pasadena, California 91125

Dr. J. T. Keiser Department of Chemistry University of Richmond Richmond, Virginia 23173

Dr. R. W. Plummer Department of Physics University of Pennsylvania Philadelphia, Pennsylvania 19104

Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 41106

Dr. N. Winograd
Department of Chemistry
Pennsylvania State University
University Park, Pennsylvania 16802

Dr. Roald Hoffmann Department of Chemistry Cornell University Ithaca, New York 14853

Dr. A. Steckl
Department of Electrical and
Systems Engineering
Rensselaer Polytechnic Institute
Troy, NewYork 12181

Dr. G.H. Morrison Department of Chemistry Cornell University Ithaca, New York 14853 END DATE FILMED JAN 1988